

DISSOCIATION AND
STATE-SPECIFIC
PSYCHOPHYSIOLOGY
DURING THE
NINETEENTH
CENTURY

Carlos S. Alvarado, M.S.

Carlos S. Alvarado, M.S., is a graduate student in the Department of History, Duke University (Durham), NC.

For reprints write: Carlos S. Alvarado, Department of History, Duke University (Durham), NC 27706.

I wish to thank Nancy L. Ling for useful suggestions for the improvement of this paper.

ABSTRACT

This paper reviews examples of dissociative psychophysiology in nineteenth century reports of dissociative disorders. These reports are characterized by rapid developments both in neurology and in the phenomena suggesting the possible influence of the mind, emotions, or psychological states on general health and specific bodily functions (e.g., Mesmerism) of hypnosis and hysteria). It argued that interest in such cases was part of a general concern with mind-body interactions. The explanations (Weird or narrow for these cases) led to different orientations to the mind-body problem prevalent during this time.

In an early report on Mary Reynolds, the most famous American case of multiple personality disorder of the nineteenth century, the patient was said to have written:

Whenever I changed into my natural state, I was very much debilitated. When in my second state, I had no inclination for either food or sleep. My strength at such times was entirely artificial. I generally had a flush in one cheek, and continued thirst...
(Plinnert, 1800, p. 812)

Such nineteenth century observations of state-specific psychophysiology in dissociative disorders were more common than has been generally realized (e.g., Goons, 1988). In this paper I discuss some examples of this phenomenon during the nineteenth century, and argue that such observations were part of a wider interest during the period: a concern with the mind-body problem.

The field of neurology was one of the intellectual contexts in which discussions about mind-body interactions developed during the nineteenth century (for a review of these developments see Young, 1970). A variety of studies explored the issue of the localization of sensory and motor functions in the brain during this period. The study of aphasic disturbances was a main line of research, as seen in the case studies of Broca (1861/1960) and many others (e.g.,

Jackson, 1878-1879). Another approach was that of animal experimentation, undertaken by researchers like Perrier (1886) and Fritsch and Litig (1870/1960).

The findings of these and of many other studies not only provided new information about the functioning of the nervous system in human and animal life, but were considered by some to provide evidence for particular views of the mind and of human consciousness. One of the most influential of these views was epiphenomenalism. Helmholtz (1871) considered the brain as the seat of consciousness and maintained that anatomical and physiological explanations of the mind should take precedence over philosophical and psychological views (which can be seen as epiphenomena of brain structure and function). Similarly, Clifford (1874) argued that changes in the brain were the "invariable concomitant of sensation, thought, and emotion" (p. 717). It is not surprising, then, to see that most physiologists (and physicians of the period) followed Hammond (1876) in believing that: "We have no evidence to show that the mind can exist independently of the nervous system" (p. 2).

This same neurological tradition inspired other models, however. This included psychophysical parallelism (Jackson, 1881), and the assumption that the mind was independent of the nervous system and capable of using brain mechanisms to express itself (F. W. H. Myers, 1885).

That all these views affected psychiatry and psychology can be seen in the proliferation of physiological conceptions about the mind and mental disease (e.g., Jacvra, 1982; Thielman, 1987). This point was clearly argued in Maudsley's *The Physiology and Pathology of the Mind* (1867), where he discussed "mental phenomena from a physiological rather than from a metaphysical point of view" (p. v). A later writer described insanity as "a symptom of a whole group of diseases and disorders having their seat in the brain, or in some other organ of the body, and affecting the brain by reflex or sympathetic action" (Folson, 1880, p. 484). Further examples of this trend were attempts to conceptualize in physiological terms phenomena such as somnambulism (Prichard, 1850), trance (Beard, 1877), and events associated with spiritualism (Carpenter, 1884, pp. 626-635). This approach to spiritualistic phenomena (such as table turning) was part of a nineteenth century trend to naturalize the "supernatural" using psychiatric and physiological explanatory concepts (Alvarado, 1989). This trend has been described by Murphy and Kovach (1972, p. 152) as a gap between medicine and psychology. In their work for physical explanations of disease physicians "were seldom inclined to look systematically for concomitant psychological causes

for medical problems. Psychological reality could be a *result*, but not a *cause* of a medical problem' (p. 153). In fact, several individuals during this period discussed this issue in an attempt to promote their physical views. Clifford (1874, p. 722) admitted that these cerebral effects on the body but considered them a part of the properties of the nervous system. Baits (1883) also discussed this issue when he wrote:

Before endeavoring to formulate ... the relationship of body and mind, I make a reference to one of the current modes ... namely, that the mind acts upon the body, and the body upon the mind. To this I object, as asserting the independent existence of the mind. I affirm, on the contrary, that the interactions of mind and body are coupled both in the antecedent and in the consequent. A fright depresses and deranges the bodily functions; yet the antecedent fact is not a piece of pine disenfranchising consciousness; it is a consciousness that would be non-existent but for its being embodied in a series of nervous disturbances; and its efficacy is due to those disturbances, and not to any power that it possesses as a purely subjective phenomenon. (p. 103)

But Murphy and Kovach's view should not be taken to mean that there was no interest in nor discussion on alternative points of view about these issues. There is ample evidence that there was interest in mind over body effects (regardless of their interpretation) during the nineteenth century, a field reviewed by Stainbrook (1952). The development of dynamic psychiatry and its emphasis on the effect of subconscious ideas on mental and physiological processes is evidence of this fact (e.g., Breuer & Freud, 1893/1957; Janet, 1889. For an overview, the reader is referred to the work of Ellenberger (1970).

A particularly interesting line of conceptualization in research held that the mind (i.e., thoughts, emotions, or mental states) could and did influence health and bodily functions. Tuke's *Illustration of the Influence of the Mind upon the Body in Health and Disease* (1872), and Carpenter's *Principles of Mental Physiology* (1881, pp. 676-690) debated these points. The literature of the period discussed mind over body effects as evidenced in phenomena such as faith healing (Goddard, 1899), religious stigmata (Maury, 1854), and so-called maternal impressions in which a pregnant woman's mental impressions were thought to cause special features or malformations in the body of her unborn child (Baker, 1887). With regard to the interpretation of stigmata, there were many debates during the nineteenth century. For example, Lefebvre (1870/1873, pp. 92-100) questioned Maury's assertion that an excited imagination could produce the phenomena. In his opinion stigmata was beyond medical explanation.

Additionally, two other phenomena key to an understanding of the development of nineteenth century psychiatry were specifically relevant to discussions of the possible influence of mental states on the physical body: hysteria and hypnosis. During the nineteenth century, many considered hysteria to be a "connecting link between mental and bodily disease" (Camps, 1859). Its manifestations included a variety

of functional sensors (e.g., anesthesia, hyperesthesia, blindness) and motor disturbances (e.g., epileptic-like fits, muscle contractions, paralysis), as well as many other conditions such as anorexia, anuria, fever, and headaches (e.g., Breuer

Freud, 1893/1957; Bristowe, 1885; Pittes, 1891; Richer, 1879). Many of these symptoms changed continually and could be modified by suggestion (e.g., Bernheim, 1886/1889; Chatcot, 1887). Some clinicians interpreted this to mean that the disturbances were associated to changing the psychological conditions or states of consciousness of the patients. It is helpful to recall that physiological conceptions of hysteria were still prevalent during the nineteenth century as seen in ideas connecting the disease with female reproductive organs (e.g., Clarke, 1891). There were also other models that emphasized "nervous exhaustion" as a physical process, as in some of the writings on neurasthenia (Gosling, 1987).

Hypnosis, considered by many to be a symptom of hysteria, not only was used to produce or to control the above mentioned hysterical manifestations, but also was employed to induce or cure a variety of physiological phenomena or medical conditions. In the words of an early author on these topics, animal magnetism produced: "A general excitement and strengthening of the vital functions ... in the nervous, muscular, vascular and digestive organs ... (Colclough, 1833, p. 85). Beaunis (1887, pp. A-f-111) reported experiments of successful use (if hypnosis to change heart beat rate, induce red blotches, cure warts, and produce changes in muscular force, auditory acuity, and in the reaction time of auditory and tactile sensations. Other claims of the powers of hypnosis included the production of anorexia, bulimia, amnesia and fasting (Debove & Flamand, 1885), analgesia (Elliotson, 1843), dermatography or skin writing (Mesnet, 1890), burns (Aybalkirn, 1890), and hemorrhages (Artigales Renunt, 1892). In his *Suggestive Therapeutics* (1886/1889) Bernheim presented cases of medical problems successfully treated with hypnosis, among them, menstrual, rheumatic and gastric disorders. In fact, claims of healing were common in the nineteenth century hypnosis literature, as seen in the writings of Lafontaine (1847, pp. 178-238), and others (e.g., Thompson, 1845).

The nineteenth century, then, demonstrated the presence of a conceptual and research tradition in which, regardless of precise ideas on the nature of the mind-body relationship, the mind was seen as capable of affecting the body and as related to at least some mental illnesses and dissociative phenomena. Binet (1892/1896) related the issue of psychophysiological effects to dissociation in this way:

all patients having "second states" ... have peripheral sensory modifications which signalize the transition to a new state. This is logically necessary. From the moment that the character is modified and the span of memory is changed, it is natural to expect that the ability to perceive sensation should be equally affected. (p. 31)

Other nineteenth century writers were aware of similar

phenomena related to dissociation. Laurent (1892), its keeping with Janet's (1890) ideas, noted that the narrowing of the field of consciousness was related to "somatic phenomena." Hyslop (1891) discussed different types of variations of personality. He was of the opinion that: "These variations must depend upon sensors' experiences which differ to those habitual to the normal self; the latter are bodily sensations" (Intellectuals... (p. 784, in italics). Some of these phenomena consisted of state-specific psychophysiological manifestations observed in patients suffering from dissociative disorder, (see Table I for information, including cases mentioned in the text).

An early case (1815) of somnambulism reported by Dewar (1823) showed some interesting state-specific phenomena. A girl of 16 years of age was reported to have shown during her "fits" of sleep "episodes of torpor or disorder in the alimentary canal" (p. 368). During the fits it was noticed that her pupils were sometimes dilated (although once they contracted), and that the cornea looked glazed, resembling the appearance of a syncope.

Other early cases showed changes in particular bodily functions. In the case of Estelle L., who suffered from paralysis of her legs and other symptoms, Despine (1838) reported that his patient could walk when she was under hypnosis and communication with her secondary personalities was possible. Elliotson (1811) reported a case of a patient suffering from somnambulist states in which the patient, a 15 year old boy (in 1812), performed actions he could not remember later. In his secondary states the patient ate voraciously, much more than normally. "Though he was abstained from full diet, that never satisfied him when in the extraordinary state" (p. 16j).

In later years state-specific observations of this kind became more systematic, perhaps because the study of hysterical manifestations in general received further and more detailed attention during the last quarter of the century (Ellenberger, 1971; Veit, 1965).

Dufay (1876) reported a case of somnambulism in a 28 year old woman originally studied in 1845. During somnambulist states the patient was able to do needlework without her glasses, although she needed them normally because of myopia. She was able to thread a needle easily even in dim light. But in her normal state, even while wearing glasses and in good light the patient had trouble threading the needles. Some medical and physiological tests were conducted on the patient (see Table I for more details). Dufay found some anesthesia of cutaneous sensibility in two points, contact with either of which induced somnambulism or awakened the subject. Clearly this is a reference to the phenomenon of hysterogenic zones. Pressure applied to these zones or spots was supposed to induce or arrest hysterical symptoms (e.g., Pitres, 1891, Vol. 1, pp. 237-238).

The case of Louis Vive, who showed six different states or personalities, is one of the most interesting cases of state-specific psychophysiology published in the nineteenth century (Bourru & Burnt, 1888; A. T. Myers, 1886; Voisin, 1885). In the words of a commentator: "Not only are these past and forgotten mental states recalled by physical impressions, but also conversely if a past and forgotten mental state is suggested to the patient as his actual anti present condition he accepts the belief and with it comes back his past physical condition ..." (A. h. Myers, 1886, p. 212) that is, conditions such as paralysis, contractions, speech difficulties, and anesthesia would be specific to particular states or personalities that changed spontaneously or under the influence of suggestion. (See Table I for information about some of the phenomena.)

Some of the cases, like that reported by Despine (1838), were observed in patients that showed one of more personalities when hypnotized. For example, Lucie, a patient of Pierre Janet (1887), suffered from a variety of somatic problems, including absence of tactile and kinesthetic sensations. During hypnosis a personality named Adrienne communicated with Janet through automatic writing. When Janet pinched Lucie, Adrienne reported feeling sensations that Lucie did not feel. Similarly, under these conditions Adrienne was able to recognize objects by touch, a task Lucie was unable to accomplish. Janet measured the tactile sensibility of his patient with an aesthesiometer and found that while Adrienne's sensation was normal, Lucie's was not.

The case of Blanche Witt, studied by Jules Janet (1888), showed similar phenomena. In her "primary" state Lucie showed several sensory and motor deficiencies such as total anesthesia, lack of muscular sense, deafness in her left ear, color blindness in the left eye, restricted visual field, low visual acuity, and hysterogenic and erogenic points. Under hypnosis, however, Witt's secondary personality did not exhibit these problems.

Finally, Bruce (1895) reported another case in which systematic tests were conducted. His patient, a 17 year old Welsh sailor showed two different states: one in which he spoke Welsh (was left handed, and had weak circulation and constipation), in another in which he spoke English (was right handed, and his circulation and bowel movements were normal). According to Bruce: "Occasionally when he changed from the Welsh to the English stage, or the reverse, this patient passes through an intermediate condition, in which he is ambidextrous, speaks a mixture of Welsh and English and understands both languages" (p. 62). Additionally, the patient's pulse had a higher rate in the English state than in the Welsh state.

The interpretation of these phenomena was problematic, however. Those that were offered were as varied as the then-current views of the mind-body relation. Many considered dissociation, and, consequently, state specific physiology, to be related to the workings of the nervous system. Dewar (1823) and Jackson (1869) speculated that brain states caused consciousness and state-specific phenomena in dissociation cases. Others such as Bruce (1895) and Voisin (1885) argued that different physiological states exhibited by different alters were related to the alternate functioning of the brain hemispheres. The use of concepts of hemispheric functioning to explain a variety of psychiatric and psychological phenomena (including dissociation) was popular during the nineteenth century (Harrington, 1987).

Other theoreticians and clinicians espoused different views. Dufay (1876) suggested that psychological variables were more important than physiological ones when he

"FABLE 1
Nineteenth Century Cases of Dissociation Disorders Showing State-Specific Psychophysiology

Reference	Sex	Age	Condition	Comments
Dewar (1823)	F	11)	S	During "fits eye pupil sonu•tinus dilated. cornea looked glazed; once pupils were contracted; symptoms of digestive problems; no pet elttihle c ontraction of the iris when asked to look at the sun.
1)c-spine (18381	F			when in hypnosis ;tnei iii contact t(it)t alters, patient recovered from leg paralysis.
haliot.utn (1846) reported by a 1)r. \l'ilson, unpublished	l l	I:)	S	During somilambalismi, patient ate (4)1aci4)n(ly, more than n1 11tally.
F,lliotsn (1846) reported by a Dr. Skac	\l		-	Patient suffered from indigestion and br>cily pains 011 alternate da\°.s; u•1ae11 suffering, he cntiid not remember days when he was well or events related to those clays.
Plumca (186(1)	F	about 19	l)	1 lter had no inclination for food or sleep (according too subject's self-repent).
Jackson (1869)	F	11-15		Change of voice clueing somnambulism; change of state accompanied with nausea and vomiting on nnc occasion but not on a second observation.
Dufay (1876)	F	28	S	Normalh suffered from myopia but could work at needlework without glasses during somnambulism; slight convulsion on lower part of an eve; pupils normal; senses of touch, taste and smell normal; circulation and respiration rate slow: anesthesia of cutaneous sensibility in lateral middle neck and in throat; pressure on these spots could induce or arrest Somnambulism.
Bourrou &. Burot (1888); Myers (1886) Voisin (1885)	M		M	Patient suffered fion six states or personalities associated with a viiuct of phenomena such as speech problems, variations in muscular activity, paralysis, anesthesia, and contractures. Symptoms could be induced with suggestion, and transferred to different parts of the body using magnets and metals.

Table 1 roolinttrfd ore ncsxl page'.

Reference	Sex	Age	Condition	Comments
A/aam (1887)		about 15	I)	Patient (Felicia X.) suffered from blood spilling and 110(14 pitir)S different parts of the hotly during primary state; no such symptoms appeared in the secondais state. At the beginning both states differed regarding somatic disorders. Eater this changed as tlii second slate hecanu° nun e frequent and over-tihiadoWed aim priI call one.
P. Janet (1887)	F	19	I)	I lypnotic alter did not suffer from problems of primary personality (absence of t<trtile, temperature and kinesthetic sensations).
.l.,Jaamet (1883)	P	-	I)	Hypnotic alter did not staffer from problems of primary' personality (sensibility of anesthetized areas, muscular sense, blindness, deafness, and loss of color vision).
Ladamle (1888)	F	27	S	During secondar state, patient had better appetite and digestion than iii the nominal state.
Bonnamaison (1890)	F	22	S	During somnambulism, patient had ltti°pe resthesia of hearing ;md smut 11.
Alason (1893)	F	18 or over	NI	Patient had three personalities: primarv one suffered from it variety of conditions (e.g., lumbar pain, insolntlia, hcadaches,wcakness):cne alter was free of pain and had more strength than primary' one: third alter sometimes was deaf.
Bruce (1895)	Ni	47	D	Patient showed a state in which he spoke Welsh and one in which he spoke English. The first one was left handed and suffered from weak circulation and constipation; the second was right handed and had good circulation and regular bowel movements. Sensory tests did not show significant differences between states, except for the fact that there was no visual recognition of tobacco or of primary colors in the Welsh state. Sphygmographic pulse tracings showed high tension in the English state and lower tension and less volume in the Welsh state. Occasionally there was a mixed state in which patient was bilingual and ambidextrous.

Table I continued on next pat.

Reference	Sex	"Age	Condition	Comments
Wilson (1901)	F	12	NI	<p>Patient showed tell alters. There were many conclition.s associated with the different alters.</p> <p>Alter 1: blindness, thirst, craving for oranges and lemonade</p> <p>Alter 2: disturbances in colon perception</p> <p>Alter 4: deaf-mute</p> <p>Alter 5: paralysis of legs, deaf and dumb, pain in Icft temple</p> <p>Alter 6: occasionally-did not walk and loses Ilse of hand</p> <p>Alter 7: cannot surud or walk</p> <p>Alter 9: talked like a baby, occasional paralysis of arms and legs</p> <p>Alter 10: incoherent speech, eyes protruded, pupils dilated, blindness (slowly recovered sight).</p>

Note: the cases have been presented in rhrnnological nrtlcr of publication.

" Age at the beginning of cast' stuM or therapy.

t) = double peruutaiite ; S = somnamhtmlisin: N1 = nntltiple personality

This rase was studied during the 1890s.

discussed the state--specific phenomena of his patient: "If hysteria plays a role in the etiology of the nervous affection in question. it (Oisists in a modification of the cardiac impetus, (win dilating the cerebral :met nil capillaries through the means of the vasomotor system" (p. 71, nn translation).

Similarly, Pier re Janet (1887) argued that the processes underlying the anesthasias of his patient Lucie were not physical but subjective ones. Sensation was not destroyed, only suppressed by a process of dissociation that separated the sensations into other levels of the mind. Janet discusses this as the phenomenon of subconscious fixed ideas, an important theoretical concept by which he explained physical and mental symptoms of dissociation (for a review see Ellenberger, 1970, pp. 361-364, 368, 372-373). Similar ideas were proposed by other contempomat physicians to account for hysterical phenomena (e.g., Breuer & Freud, 1893/1957).

Therefore, a secondary personality (Adrienne) would feel sensations that a primary one (or any other) would not. Binet (1892/18966) expressed this clearly when in a discussion of about hysterical anesthesia he wrote that in this phenomenon "perception is by no means suppressed or destroyed, but ... it ... [is] presered to form part of another consciousness" (p. 319).

In general, the explanations of these phenomena were controversial and lacked consensus. Perhaps Baldwin (1898) was right when he stated: "The psychologist knows practically nothing about the laws which govern the influence of mind on body" (p. 120). Nonetheless, regardless of the

framework selected to explain them, we should recognize that to nineteenth century P^{hysicians} state-specific phenomena provided a glimpse into the workings of the mind and the nervous system. The phenomena were anomalies that, although consistently related to mind-body interactions, were used in various ways by defenders of different models of human consciousness and psychiatric disturbances to buttress, defend, or illustrate their preferred paradigms.

This, of course, is not new in the history of psychiatry. It has been argued before that many diseases and concepts of etiology have been employed to defend particular worldviews or theories (e.g., Foucault, 1965/1973; Showalter, 1985). Further work on the history of these phenomena could well inform other approaches to dissociation. Stich studies we n tld further delineate the historical development of dissociation as a medical and as a social entity. ■

REFERENCES

Alvarado, (:S. (1989). Nineteenth century medical explanations of psychic phenomena. *Parnps 'rl of gr' Revicit' . 2)* (3).

Artigales, [no initial], & Rcmoul, [no initial]. (1892), Note sti ' MI cas d'hemor'rhagies auriculaires, oc ulairc's et. palmaires, provuquees par suggestion. *Revere (lc19r1'].notislart v/ Gerintrnlrls 2>tlv'rrtpettitrltr. 6. 2a(t-254.*

Azana, [E. E.]. (1887). *If(pnnltsyxr'. double m)carittr'r't rrltrrrlmtr rte la person taliir'*, Paris: J.B. Bailliere.

TABII. 2

Louis Y'iy'e's Six States iii Relation to Chronology of Memories, Iti tltsis, Anesthesia. and lhnan]utneu is Readings

States	*Dates of State-Specific Memories	Paralysis	Anesthesia	Dynarnometric Readings
1	5-1881 6-1881 1 884	right hetuiplegiat	right side	R - 1), I. -X411
	7(r) 188 '8-i0-1883	left henlplegin affecting face	left side	R = .80.. I. (
	8-1881. -1-1881.. 1882 : 4-1883	left lietttiplegia no effect oti fate	left side	R - 8{]. I. = 0
1	3-1877 '3-1880	paraplegia	lower hall	R = 35, - - 1 1
5	1863-1873	paralysis of icf leg	left leg	R = 411. I. - 11
6	1863-1873/5-18811 / 6-1881 ittttrnittcttt memories of periods between \$-18\$ i to 2-1885	ttonc•	Inpc'resthcsia of left leg	R = lid. I. = 70

Note: This information is adapted from a table prepared by Arr. Mods (1886i).

These are memories of past events of 'i'vid's life related to the diffl'rent pscho->]tvsiological phenomena.

This refers to treasures (in pounds} of hated grip suength. "R stands for right hand: 1." tantls Inr left baud.

Bain. .~. (1883). Mind and buds : .jline), 8,-102-412.

Baldwin, J. M. (1898). 'heStoit of the mind. New York: D. Appl'ton.

Baker, F. (1887). The influence: of maternal impression on the fetus. *Ira saclinu n/ /6< .4 iu'icn ii (:enrmlrr S(00 h 11. 152-175.*

Beard, G.M. (1877). A neu theory of trance and its hearing on human testimony. journal *efNervous and Mental Disease*, 4. 1-47.

Beaunis, II. (1887). *Le .sururarrihuhsineprovnuqe* (2nd ed.). Paris: J. - B. Bailliere.

Bern he'tut,H. (184(1). *Sug estir+cthrrapeidirs*. New York:(. P. [Inman's Sons. (First published in French, 1886 [2nd ed.)

Binet, A, (1896). *.A i/on a lions of pnconatils*. New York: D. :Appleton. (First published in French. 1892)

Bonnamaison. [no initial]. {1890). tin ears d' hypnose spontanee grande hysterie et grand hypnot..isrie. *Recaedel7.jmnlisme expnsmentate i~ lkrrapeatig'ar*, 4. 234-243.

Bourn', H., & Burot, P. (1888). *Variations <Icin/ersormalilr*. Paris: J.- B. Bailliere.

Breuer, J., & Freud. S. (1957). Ot the psychical mechanism of hysterical phenomena: Preliminary communication. n J. Breuer and S. Freud, *Studies on hysteria* (pp. 3-17). New York: Basic Books. (First published in German,]893)

Bristowe. J.S. (188x).]lie Cavendish lecture nn Insteria it'd] its counterfeit presentiments. *Laurel*, 1. 1069-1072, 1113-1 117.

Broca, P. (1960). Remarks on the seat of the faculty of articulate language followed by an observation of aphemia. In (I. Von Bonin (Ed, and 'l ransi.) . *S'nur- papers on the coo-brat com'*. (pp. 49-72). Springfield, II: Charles C. Thomas. (Firs] published in French. 186[)

Bruce, L.C.. (1895). Notes ofa case of dual brain action. *Brain*, 18, 5-1-65.

Camps. \V. (J<S59). Ilvsteria considered as a connecting link between mental and bodily disease. *Lancet*, 1, 1)10-491.

Carpenteu.W. B. (1881). *PriPriples ofmoll uel phi.inl gy'* (-lth ed.). New York: D. Appleton.

(:harcot, J. (1887). L h}puotisnie en thertpeutique: (aurri.son dune contracture hv°stel hp i.e. *Revue del 70piiali.snu~exp(i.rimentalc v'lhv" a/wu-tiquv*, 1, 296-301, 321-327.

Clarke. A.P. (189.1). Relations of hysteria to structural changes in the uterus and its *anexa.:Imericari journal of Obstehiirs*, 3. 477-483.

Clifford. W.K. (18 74). Both :and mind. *Forth} rhilr Review*, 16, {n.s. 1. 714-736.

- Coigthouan, J.C. (183:1). *Report of the Committee of the Medical Section of the French Royal Academy of Sciences*. Edinburgh: Robert & Tait.
- Coons, P.M. (1988). Dissociative aspects of multiple personality disorder: A review, *DISSOCIATION*, 1, (1), 17-5:3.
- Dchove, (no in I al I. § Fl,un:uid, I no initial'. (1885). Recherches exclu("riniemumales sun l'hs-stoic laurirrsic, inanition, hrnilintie, Willie). *Annales de la Société de Médecine de Paris*, 2 (s. 2), 299-301.
- Deslauriers, J.'rc'. (1811). *Observations sur les effets de l'opium*. Paris: Bachelier.
- Deviar, H. (1823). Report on a communication from L)r. Dyer of Aberdeen, to the Medical Society of Edinburgh. "(ht Uterine Irritation and its Effects on the Female Constitution). *Medical and Surgical Journal*, 9, 315-379.
- Dnfas, J. (1876). La notion de la personnalité. (Wear seimuij'ique de la Fiance et de la Femme). *Revue de Médecine*, 11, (s. 2), 69-71.
- Fleisher, I.F. (1970). *Hereditary and Acquired Dissociation*. New York: Basic Books.
- Fliutscn.). (1841). *Observations sur les effets de l'opium sans douleur*. Philadelphia: Lea and Blanchard.
- Plimsoll, J. (18-46). Instances of double states of consciousness independent of mesmerism. *Medical and Surgical Journal*, 1:18-187.
- Ferrier, D. (1886). *History of the Brain* (2nd ed.). New York: C. P. Putnam's Son.
- Folsom, C.F. (1881). A lecture on insanity. *Boston Medical Journal*, 102, 481-18 1.
- Foucault, M. (1843). *Madness and Civilization*. New York: Vintage Books. (First published in French. 1965)
- Fritsch, G. (1860). On the electrical excitability of the cerebrum. in G. Von Bonin (Ed. and Trans.), *Some papers on the cerebral cortex* (pp. 73-96). Springfield, IL: Charles C. Thomas. (First published in Germany, 1870)
- Goddard, H.H. (1899). The effects of mind on body as evidenced by faith cures. *Journal of Psychology*, 10, 431-502.
- Gosling, F.C. (1987). *Before Freud: Neurasthenia and the Auto-can medical history, 1870-1910*. Urbana: University of Illinois Press.
- Hammond, J.A. (1876). The brain the sole organ of the mind. *Journal of Nervous and Mental Disease*, 1 (1.s.), 1-19.
- Harrington, A. (1987). *Intelligence, mind, and the double brain*. Princeton: Princeton University Press.
- Huxley, T.H. (1874). On the hypothesis that animals are automata, and its history. *Fortnightly Review*, 16. (n.s.), 555-58(1).
- Hyslop, T.B. (1899). On 'double consciousness'. *British Medical Journal*, 2, 782-786.
- Jackson, J.H. (1878-1879). On affections of speech from disease of the brain. *Brain*, 1, 304-331, 2, 203-222, 323-356.
- Jackson, J.H. (1884). The Croonian Lectures on evolution and dissolution of the nervous system. *British Medical Journal*, 1, 591-593.
- Jackson, S. (1869). On consciousness and cases of so-called double consciousness. *Medical and Surgical Journal*, 57 (n.s.), 17-21.
- Jacquin, L.S. (1982). Somatic theories of the interest of medicine in Britain. 1850-1879. *Journal of the History of Medicine*, 211, 2311-258.
- Janet, P. (1888). L'insensibilité. *Revue Scientifique*, 111 (s.1), 616-1123.
- Janet, P. (1887). L'insensibilité systématisée et la dissociation des fonctions psychologiques. *Raoul Poincaré de la nature et de l'évolution*, 23, 419- (72).
- Janet, P. (1889). *L'insensibilité et la dissociation des fonctions psychologiques*. Paris: Félix Alcan.
- Jacquin, L.S. (1888). On the interest of somnambulism (l'écrit de l'écrit de l'écrit de la dissociation des fonctions psychologiques). *Revue Scientifique*, 2, 257-2112.
- Lafontaine, Ch. (18-17). *L'écrit de l'écrit de la dissociation des fonctions psychologiques*. Paris: Félix Alcan.
- Lafontaine, Ch. (1892). *L'écrit de l'écrit de la dissociation des fonctions psychologiques*. Paris: Félix Alcan.
- Lafontaine, Ch. (1873). *L'écrit de l'écrit de la dissociation des fonctions psychologiques*. London: Burns and Oates. (First published in French. 1870)
- Jacquin, R.O. (18413). Duplex personality. *Journal of Nervous and Mental Disease*, 18 (n.s.), 513-598.
- Jacquin, R.O. (1870). *L'écrit de l'écrit de la dissociation des fonctions psychologiques*. New York: D. Appleton.
- Flatus, A. (185-b). Les hallucinations du mysticisme. *Revue de Médecine*, 2, 1, (s. 2), 454-482.
- Flatus, A. (1890). *Atuographisme et dissociation des fonctions psychologiques*. Paris: Bachelier.
- Morphs. (1872). *History of the dissociation of the mind to modern psychology* (3rd ed.). New York: Harcourt Brace Jovanovich.
- Myers, A.T. (1886). The life-history of a case of double or multiple personality. *Journal of Mental Science*, 31, 596-603.
- Myers, F.W.H. (1885). Antonia's writing-II. Proceedings of the Society for Psychical Research, 3, 1-63.
- Pluchet, A. (1891). *Lemurs cliniques et hysteriques*. Paris: Ocrave Doin.
- Plusher, V.S. (1860). Mary Reynolds: A case of double consciousness. *New Monthly Magazine*, 20, 807-812.
- Richard, J.C. (1850). Somnambulism and animal magnetism. In Forbes, A. Tweedie, & Conolly, (Eds.) (Revised and enlarged by R. Duijglison), *The Writings of James Esq. (pp.194-211)* (vol. 4). Philadelphia: Lea and Blanchard.
- Richer, P. (18781). *Etude de la grandeur de la dissociation des fonctions psychologiques*. Paris: V. Adrian Delahave.
- Rybalkin, J. (1890). Brulure du second degré provoquée par suggestion. *Rouge de la dissociation des fonctions psychologiques*, 4, 301-362.
- Showalter, E. (1983). *The Dissociation of the Mind*. New York: Pantheon Books.

- St:tinbrook, E. (19 3). Psychosomatic medicine in the liincteenth century. *Nrcho.comrrlir ilTrrlirrrr*, 1:l. 211-227.
- Thichnan, S.B. (1987). Madness anti tnerlicine: trends in Amⁱri-can medical Therapeutics for insanity. 1H20-II.110.1jrrllelirr *n~ the Iiis-ant-t of Medicine, fit*, 25-16.
- Thompson, II..S. (18 15). Gases of antaurosis. ophthalmia, severe rheumatism. catarrh, :mil pain of head ',Ind giddiness front a fltfti.. cured with Qtesmerisnt. *Luis*(, :4.:(2 5-327,
- Tukc, 1).I I. (1872). */l/nslrrtiors of tar irjflurrrr o~ utirrd u~turr* (R41' in *heellth* (out *rlis'us*(. London: I.A. Churchill.
- Veillt, I. (14115), *111'-sleria: 77re bristur} of a rlisrase*. (:ltieaf;o: 1.?niversity of Chicago Press,
- Voisin.A. (1885j. Note martin cast-le gründe hysteric avec dE•(lolrltlcment de la persunnalite. Arrvl de I 'atla(Ine par la plession des tendons..Arc ltivrs de rrrrrralogir. 10, 212-225.
- Wilson, A. (1904). A case of multiple persoualitic. Prone-wiling) (idle .Soctc(r fir *Pstultical Rcsrrtrrh*, 18, 352-415.
- Young, RN-I. (157(1). *Mind. brain and rtdn-plalimt in lbv rri»(icciilb e>rlrn*. Oxford: Clareudan I're~ss.